

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

WHAT IS CLAIMED IS:

1-5. (Canceled)

6. (Original) A voice interactive system comprising:

- a detecting module adapted for performing voice recognition upon an input voice signal to detect presence of a predetermined keyword;

- a semantic recognition module coupled to and controlled by said detecting module so as to switch operation from a disabled mode to an enabled mode, where said semantic recognition module performs semantic recognition upon the input voice signal, when the presence of the predetermined keyword in the input voice signal is detected by said detecting module;

- a response module coupled to and controlled by said semantic recognition module so as to generate a response according to result of the semantic recognition performed by said semantic recognition module;

- a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold; and

- a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the current input voice signal and the previous input voice signal is larger than the predetermined threshold.

7. (Original) The voice interactive system as claimed in Claim 6, wherein said response module includes an operation control module for generating a signal corresponding to the result

of the semantic recognition performed by said semantic recognition module, said operation control module being adapted to transmit the signal generated thereby to an electronic device such that the electronic device operates in response to the signal.

8. (Original) The voice interactive system as claimed in Claim 6, wherein said response module includes a voice response module for providing artificial voice response data corresponding to the result of the semantic recognition performed by said semantic recognition module.

9. (Original) The voice interactive system as claimed in Claim 6, wherein said response module includes an image response module for providing image data that corresponds to the result of the semantic recognition performed by said semantic recognition module.

10. (Original) The voice interactive system as claimed in Claim 6, wherein said detecting module includes:

- a feature parameter retrieving unit for retrieving feature parameters of the input voice signal;

- a voice model building unit coupled to said feature parameter retrieving unit for building voice models with reference to the feature parameters retrieved by said feature parameter retrieving unit;

- a keyword voice modeling unit for storage of keyword voice models; and

- a voice model comparing unit coupled to said voice model building unit and said keyword voice modeling unit for comparing similarity among built voice models and the keyword voice models.

11. (Original) The voice interactive system as claimed in Claim 10, wherein said semantic recognition module includes a database containing a plurality of voice model samples, and a voice model comparing unit coupled to said detecting unit and said database for comparing similarity among the built voice models and the voice model samples.

12. (Original) A selective voice recognition system comprising:

a detecting module adapted for performing voice recognition upon an input voice signal to detect presence of a predetermined keyword;

a semantic recognition module coupled to and controlled by said detecting module so as to switch operation from a disabled mode to an enabled mode, where said semantic recognition module performs semantic recognition upon the input voice signal, when the presence of the predetermined keyword in the input voice signal is detected by said detecting module;

a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold; and

a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the current input voice signal and the previous input voice signal is larger than the predetermined threshold.

13. (Original) An electronic device comprising:

a sound pickup module adapted for receiving an input voice signal;

a detecting module coupled to said sound pickup module and operable so as to perform voice recognition upon the input voice signal to detect presence of a predetermined keyword;

a semantic recognition module coupled to and controlled by said detecting module so as to switch operation from a disabled mode to an enabled mode, where said semantic recognition module performs semantic recognition upon the input voice signal, when the presence of the predetermined keyword in the input voice signal is detected by said detecting module;

a response module coupled to and controlled by said semantic recognition module so as to generate a response according to result of the semantic recognition performed by said semantic recognition module;

a timer module which operates simultaneously with operation of said semantic recognition module in the enabled mode so as to calculate an idle time between a current input voice signal and a previous input voice signal, and so as to determine whether the idle time calculated thereby is larger than a predetermined threshold; and

a mode switching module coupled to said timer module and said detecting module, said mode switching module enabling said detecting module to switch operation of said semantic recognition module from the enabled mode back to the disabled mode upon detection by said timer module that the idle time between the current input voice signal and the previous input voice signal is larger than the predetermined threshold.

14. (Original) The electronic device as claimed in Claim 13, wherein said response module includes an operation control module for generating a signal corresponding to the result of the semantic recognition performed by said semantic recognition module, said electronic device further comprising a control module coupled to said operation control module, said operation control module transmitting the signal generated thereby to said control module such that said control module operates in response to the signal.

15. (Original) The electronic device as claimed in Claim 13, wherein said response module includes a voice response module for providing artificial voice response data corresponding to the result of the semantic recognition performed by said semantic recognition module, said electronic device further comprising a reproduction module coupled to said voice response module for audibly reproducing the artificial voice response data.

16. (Original) The electronic device as claimed in Claim 13, wherein said response module includes an image response module for providing image data that corresponds to the result of the semantic recognition performed by said semantic recognition module, said electronic device further comprising an imaging module coupled to said image response module for providing a visual indication of the image data.